

# Notice of variation with introductory note

## The Environmental Permitting (England & Wales) Regulations 2010

---

Cleansing Service Group Limited  
CSG Aylesford Treatment Plant  
Mills Lane  
Quarry Road Industrial Estate  
Aylesford  
Kent  
ME20 7NA

### **Variation application number**

EPR/UP3033UX/V007

### **Permit number**

EPR/UP3033UX

# CSG Aylesford Treatment Plant

## Permit number EPR/UP3033UX

### Introductory note

#### This introductory note does not form a part of the notice

The following notice gives notice of the variation of an environmental permit.

An application for the variation of environmental permit EPR/UP3033UX was made by the operator Cleansing Service Group Limited, the changes include: -

- An increase in storage capacity of 202m<sup>3</sup> achieved by the addition of 2 X 101m<sup>3</sup> glass lined mild steel tanks of identical design, composition and colour as the current Tank 8. The new tanks are to be labelled Tank 11 and Tank 12.
- The construction of an extension to the site bunding to accommodate Tank 11 and Tank 12.
- An increase in the storage capacity of Bay Y from 1 tonne to 5 tonnes.
- Removal of the requirement to report under the Solvent Emissions Directive.

This variation incorporates the changes required by the Industrial Emissions Directive. This includes the addition of a condition relating to a requirement for monitoring of groundwater and soil.

The schedules specify the changes made to the original permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application UP3033UX (EPR/UP3033UX)	Duly made 31/01/2007	
Schedule 4 Notice	02/08/2007	23/08/2007
Request for Information	13/09/2007	25/09/2007 Further amendment to revised Table D1 of schedule 4 response.
Request for Information	14/09/2007	14/09/2007 Further planning permission reference TM/07/2416 dated 09/08/2007 to permit the construction of Tanks 6 to 10.
Request for Information	26/09/2007	27/09/2007 Sewage Treatment Works justification
Request for Information	26/09/2007	27/09/2007 Site Condition Report
Request for Information	26/09/2007	27/09/2007 CSG Aylesford bund construction specification
Permit UP3033UX determined (EPR/UP3033UX)	29/10/2007	
Application for variation EA/EPR/UP3033UX/V002	03/08/2009	
Variation issued EPR/UP3033UX	12/11/2009	
Application for variation EA/EPR/UP3033UX/V003	27/01/2010	
Variation issued EPR/UP3033UX	24/02/2010	

<b>Status log of the permit</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
Application for variation EA/EPR/UP3033UX/V004	Duly made 10/09/2010	
Variation issued EPR/UP3033UX	24/09/2010	
Application for variation EA/EPR/UP3033UX/V005	Duly made 25/04/2012	
Request for information	29/02/2012	20/03/2012
Request for Information	28/03/2012	25/04/2012
Schedule 5 response	15/05/2012.	Partial Response - 29/05/2012 Partial Response - 12/06/2012 Partial Response - 18/06/2012 Partial Response - 21/06/2012 Partial Response - 29/06/2012 Complete Response - 11/07/2012
Additional information request	14/08/2012	Response – 24/08/2012
Additional information request	07/09/2012	Response – 07/09/2012
Variation & Consolidation Issued EPR/UP3033UX/V005	14/09/2012	
Application EPR/UP3033UX/V006	Duly made 24/07/2013	Application to add 12 waste types and update the permit to implement changes introduced by IED.
Variation Determined EPR/UP3033UX	Duly made 27/08/2013	Varied Permit Issued
Application EPR/UP3033UX/V007	Duly made 20/04/2015	Application to vary permit.
Variation determined EPR/UP3033UX	27/04/2015	Varied permit issued.

End of introductory note

# Notice of variation

## The Environmental Permitting (England and Wales) Regulations 2010

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2010 varies

### Permit number

EPR/UP3033UX

### Issued to

**Cleansing Service Group Limited** ("the operator")

whose registered office is

**Chartwell House  
5 Barnes Wallis Road  
Segensworth East  
Fareham  
Hampshire  
PO15 5TT**

company registration number 00530446

to operate a regulated facility at

**CSG Aylesford Treatment Plant  
Mills Lane  
Quarry Road Industrial Estate  
Aylesford  
Kent  
ME20 7NA**

to the extent set out in the schedules.

The notice shall take effect from 27/04/2015

Name	Date
A.J. Nixon	27 April 2015

Authorised on behalf of the Environment Agency

## Schedule 1 – conditions to be deleted

The following conditions are deleted as a result of the application made by the operator

- 4.2.3 The operator shall submit an annual solvent management plan in order to demonstrate compliance with the requirements of the Solvent Emissions Directive, as specified in Article 9(1) of the Directive, by 31 January each year in respect of the previous year.

## Schedule 2 – conditions to be amended

The following conditions are amended as a result of the application made by the operator

<b>Table S1.1 activities</b>			
<b>Activity reference</b>	<b>Activity listed in Schedule 1 of the EP Regulations</b>	<b>Description of specified activity and WFD Annex I and II operations</b>	<b>Limits of specified activity and waste types</b>
A1	Section 5.3 A(1)(a) (iv)	“Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving repackaging (D14 & R12)	<p>Waste types specified in Table S2.6.</p> <p>No more than 15,000 tonnes of hazardous waste shall pass through the waste transfer station per annum.</p> <p>Subject to POM 1, POM 2 &amp; POM 3 - pre-operational measures for future development, table S1.4B.</p> <p>Mixing of hazardous waste restricted to bulking operations for EWC 0901 waste types – specifically waste blanket wash and waste developer, and are subject to condition 2.6.3.</p>
A2	Section 5.3 A(1)(a)(ii)	<p>“Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving physico-chemical treatment ”</p> <p>Blending and dewatering of waste oil; despatch for further treatment, including recovery activities R3 and R13 and storage of waste arising from the treatment process.</p>	<p>From receipt of waste as specified in Schedule 2 tables S2.2 and S2.3 to dispatch of waste oil for recovery, including storage of wastes arising from treatment.</p> <p>Waste oil storage areas Tanks 1 to 8 and 10, Reception Pit and Dig Out Pit, two centrifuges and ancillaries as detailed on drawing number CSG/E013664/S4D/01revC and 2 RORO containers.</p> <p>Maximum throughput 40,000 tonnes per year.</p> <p>Maximum individual tank storage:</p> <p>Tank 1 (115 m<sup>3</sup>).</p> <p>Tank 2, 3 and 4 (200 m<sup>3</sup> each).</p> <p>Tank 5 (25 m<sup>3</sup>)</p> <p>Tank 6 (75 m<sup>3</sup>)</p> <p>Tank 7 (70 m<sup>3</sup>)</p> <p>Tanks 8 (100 m<sup>3</sup>)</p> <p>Tank 10 (45 m<sup>3</sup>)</p> <p>Reception Pit (50 m<sup>3</sup>)</p> <p>Dig Out Pit (27 m<sup>3</sup>)</p> <p>2 RORO containers (20 m<sup>3</sup> each)</p> <p>Maximum storage time of 6 months from date of receipt for any waste contained in the tanks.</p>

**Table S1.1 activities**

Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
A3	Section 5.6 A(1)(a)	“Temporary storage of hazardous waste with a total capacity exceeding 50 tonnes”- (R13 and D15)	<p>Waste types specified in Table S2.6.</p> <p>No more than 15,000 tonnes of hazardous waste shall pass through the waste transfer station per annum.</p> <p>Subject to POM 1, POM 2 &amp; POM 3 - pre-operational measures for future development, table S1.4B.</p> <p>From receipt of waste as specified in Schedule 2 tables S2.2 and S2.3 to dispatch of waste oil for recovery, including storage of wastes arising from treatment.</p> <p>Waste oil storage areas Tanks 1 to 8 and 10, Reception Pit and Dig Out Pit, two centrifuges and ancillaries as detailed on drawing number CSG/E013664/S4D/01revC and 2 RORO containers.</p> <p>Maximum throughput 40,000 tonnes per year.</p> <p>Maximum individual tank storage:</p> <p>Tank 1 (115 m<sup>3</sup>).</p> <p>Tank 2, 3 and 4 (200 m<sup>3</sup> each).</p> <p>Tank 5 (25 m<sup>3</sup>)</p> <p>Tank 6 (75 m<sup>3</sup>)</p> <p>Tank 7 (70 m<sup>3</sup>)</p> <p>Tanks 8 (100 m<sup>3</sup>)</p> <p>Tank 10 (45 m<sup>3</sup>)</p> <p>Reception Pit (50 m<sup>3</sup>)</p> <p>Dig Out Pit (27 m<sup>3</sup>)</p> <p>2 RORO containers (20 m<sup>3</sup> each)</p> <p>Maximum storage time of 6 months from date of receipt for any waste contained in the tanks.</p> <hr/> <p>Storage of waste (D15 &amp; R13) suitable for raw material substitute for use in the oil/water separation and aqueous treatment process</p> <p>Storage of hazardous waste raw materials for use on site, Chemical Store as detailed on drawing number CSG/E013664/S4D/01.</p> <p>Waste types: 06 01 01*, 06 01 02*, 06 02 04*, 08 03 16*, 11 01 05*, 16 03 03*, 16 05 07*, 19 02 11*, 20 01 14*, 20 01 15* only.</p> <hr/> <p>Storage of waste (D15) suitable for raw material substitute for use in the aqueous treatment process</p> <p>Storage of hazardous waste raw materials for use on site, Metal Cage as detailed on drawing number CSG/E013664/S4D/01. Waste type: 16 09 04*</p> <hr/> <p>Storage of waste water (D15 &amp; R13) suitable for raw material substitute for use in the aqueous treatment process</p> <p>Storage and collection of surface water runoff from Area 4 of the waste transfer station and will be collected within a minimum 20,000 litre capacity above ground storage tank. The contents will be compatibility tested for re-use within the sites waste treatment process as detailed within CSG Aylesford Drainage plan v3.</p> <p>Rainwater runoff will be collected from the roof of the transfer station and undergo compatibility testing for re-use within the sites waste treatment process.</p>

<b>Table S1.1 activities</b>			
<b>Activity reference</b>	<b>Activity listed in Schedule 1 of the EP Regulations</b>	<b>Description of specified activity and WFD Annex I and II operations</b>	<b>Limits of specified activity and waste types</b>
A4	Section 5.4 Part A(1)(a)(ii)	“Disposal of non-hazardous waste with a capacity exceeding 50 tonnes per day involving physico-chemical treatment “ – (D9)	From receipt of waste as specified in Schedule 2 table S2.4 to the storage and transfer of waste or discharge point to sewer, including storage of wastes arising from treatment. Maximum throughput 73,000 tonnes per year for waste treatment. Maximum storage time of 6 months from date of receipt for any waste. Maximum individual storage Tanks 1 to 8 and 10 to 12, Reception Pit and Dig Out Pit as above and as detailed on drawing number CSG.C2.5a and 3 RORO containers (20m <sup>3</sup> per container).
<b>Directly Associated Activity</b>			
A5	Empty hazardous waste container washing	Washing of containers containing hazardous residues on site prior to reuse and recycling.	Storage of empty containers for hazardous wastes pending washing, reuse and recovery, to be carried out in Tanker Reception Area and Tanker Wash Area as detailed on drawing number CSG/E013664/S4D/01.
A6	Empty non-hazardous waste container washing	Washing of containers containing non-hazardous residues prior to reuse and recycling.	Storage of empty containers for non-hazardous wastes pending washing, reuse and recovery, to be carried out in Tanker Reception Area and Tanker Wash Area as detailed on drawing number CSG/E013664/S4D/01.
A7	Empty container storage	R13 – storage of containers prior to reuse or recycling off site	Storage of empty containers pending reuse and recovery, to be carried out in Drum Storage Area as detailed on drawing number CSG/E013664/S4D/01 revB.
A8	Empty metal container crushing and storage	R4 Recycling or recovery of metals and metal compounds. R13 Storage of waste pending any of the operations (R1 – R12)	Storage of empty metal containers for non-hazardous waste pending washing, crushing and recovery. Designated area subject to Table S1.4A - reference 2.
A9	Final effluent storage	D15 Storage of non- hazardous waste pending disposal	Storage of non-hazardous effluent prior to discharge to sewer, as detailed on - CSG Aylesford Permit Boundary, Layout and Emission Point Plan.
<b>Description of activities for waste operations</b>			<b>Limits of activities</b>
A10	<p>Non-hazardous waste storage for the purpose of disposal and recovery &gt;50 tonnes per day</p> <p>Repackaging of non-hazardous waste.</p> <p><b>R12:</b> Exchange of wastes for submission to any of the operations numbered R01 to R11.</p> <p><b>R13:</b> Storage of waste (non-hazardous) pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced).</p> <p><b>D13:</b> Blending or mixing prior to submission to any of the operations numbered D01 to D12.</p> <p><b>D14:</b> Repackaging prior to submission to any of the operations numbered D01 to D13.</p> <p><b>D15</b> Storage of non- hazardous waste pending disposal.</p>		<p>Waste types specified in Table S2.5.</p> <p>No more than 4,500 tonnes of non-hazardous waste shall pass through the waste transfer station per annum.</p>

Table S1.2 as referred to in condition 2.3.1 is amended to include reference to a revised site plan and description of site storage capacities and reads as follows:

<b>Table S1.2 Operating techniques</b>		
<b>Description</b>	<b>Parts</b>	<b>Date Received</b>
Application EA/EPR/UP3033UX	The response to sections 2.1 – 2.2, excluding B2.2.6 and 2.2.7, drawing numbers CSG/ATP/A3/01 dated 10/10/06, CSG/ATP/A4/01 dated 30/11/06 and D1 tables from Appendix D of the Application Site Report	Received - 31/01/2007
Response to Schedule 4 Notice	Response to Schedule 4 Notice dated 23/08/2007 Revised Application Response Tables B1.1.1, 1.4.1, 1.4.2, 2.1.1 and 2.1.21 Revised B1.4.2 – Permit Boundary v4 CSG Aylesford 07. Site Drainage Plan Reference CSG/E013664/S4D/01 dated 21/08/2007 General Schedule 4 Information Plan Reference CSG/E013664/S4G/01 dated 21/08/2007 Revised Tables D1 of Application Site Report	Received - 23/08/2007
Additional Information	Further Planning Permission reference TM/07/2416 dated 09/08/2007 to permit the construction of Tanks 6 to 10, document references SKMBT_C45007081018280, SKMBT_C45007081018281, SKMBT_C45007081018282 and SKMBT_C45007081018290 Request dated 13/09/2007. Amendment to revised Table D1 of Application Site Report of Schedule 4 response, excluding waste codes: 05 01 02*, 10 09 15* and 10 10 15*. Sewage Treatment Works Justification Site Closure Plan CSG Aylesford Bund Construction Specification	Received - 14/09/2007 Received - 25/09/2007 Received - 27/09/2007 Received - 27/09/2007 Received - 27/09/2007
Application EA/EPR/UP3033UX /V005	Sections C3.3b, C3.4a, C3-App5-1, C3-App5-2, C3-App5-3 and C3-App5-5.	Received - 25/01/2012
Additional Information	Request dated 29/02/2012. Additional operating techniques comprising non-conformance procedure, quarantine procedure, reaction hazard assessment for the bulking of waste blanket wash, reaction hazard assessment for the bulking of waste developer, sampling methodology and segregation assessment methodology.	Received - 20/03/2012
Schedule 5 response	Request dated 15/05/2012. Additional operating techniques comprising acceptance procedures, storage procedure v2, point source emission measurement, healthcare and veterinary wastes and bund capacities.	Partial response - 29/05/2012 Partial response - 12/06/2012 Partial response - 18/06/2012 Partial response - 21/06/2012 Partial response - 29/06/2012
Application EA/EPR/UP3033UX /V007	Document Reference; CSG 001,C 2.2b, C2.5c and drawing reference CSG.C2.5a (March 2015 v2)	Received 20/04/2015
Application EA/EPR/UP3033UX /V007	Email titled: RE: Request for Further Information - EPR/UP3033UX/V007 and Drawing CSG Aylesford Bund Extension Plan showing waterstop of adjoining bunds.	Received 20/04/2015



Table S2.2, S2.3 and S2.4 as referred to in condition 2.3.2 are amended to revise the storage capacity on site and read as follows:

<b>Table S2.2 Permitted waste types and quantities for Storage and treatment of Waste Oils.</b>	
<b>Maximum quantity</b>	<b>Maximum storage capacity 1299 m<sup>3</sup> for all wastes in Tables S2.2 and S2.3 Maximum treatment capacity 1300 tonnes/day for all wastes in Tables S2.2 and S2.3</b>
Waste code	Description
01 05 05*	oil-containing drilling muds and wastes
05 01 05*	oil spills
05 01 06*	oily sludges from maintenance operations of the plant or equipment
05 01 12*	oil containing acids
08 03 19*	disperse oil
10 02 11*	wastes from cooling-water treatment containing oil
10 03 27*	wastes from cooling-water treatment containing oil
10 04 09*	wastes from cooling-water treatment containing oil
10 05 08*	wastes from cooling-water treatment containing oil
10 06 09*	wastes from cooling-water treatment containing oil
10 07 07*	wastes from cooling-water treatment containing oil
10 08 19*	wastes from cooling-water treatment containing oil
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 09*	machining emulsions and solutions free of halogens
12 01 10*	synthetic machining oils
12 01 19*	readily biodegradable machining oil
13 01 05*	non-chlorinated emulsions
13 01 10*	mineral-based non-chlorinated hydraulic oils
13 01 11*	synthetic hydraulic oils
13 01 12*	readily biodegradable hydraulic oils
13 01 13*	other hydraulic oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils
13 02 07*	readily biodegradable engine, gear and lubricating oils
13 02 08*	other engine, gear and lubricating oils
13 03 07*	mineral-based non-chlorinated insulating and heat transmission oils
13 03 08*	synthetic insulating and heat transmission oils
13 03 09*	readily biodegradable insulating and heat transmission oils
13 03 10*	other insulating and heat transmission oils
13 04 01*	bilge oils from inland navigation

**Table S2.2 Permitted waste types and quantities for Storage and treatment of Waste Oils.**

<b>Maximum quantity</b>	<b>Maximum storage capacity 1299 m<sup>3</sup> for all wastes in Tables S2.2 and S2.3 Maximum treatment capacity 1300 tonnes/day for all wastes in Tables S2.2 and S2.3</b>
Waste code	Description
13 04 02*	bilge oils from jetty sewers
13 04 03*	bilge oils from other navigation
13 05 01*	solids from grit chambers and oil/water separators
13 05 02*	sludges from oil/water separators
13 05 03*	interceptor sludges
13 05 06*	oil from oil/water separators
13 05 07*	oily water from oil/water separators
13 05 08*	mixtures of wastes from grit chambers and oil/water separators
13 07 01*	fuel oil and diesel
13 07 03*	other fuels (including mixtures)
13 08 01*	desalter sludges or emulsions
13 08 02*	other emulsions
13 08 99*	wastes not otherwise specified restricted to: oil/fuel and water that is not in an oil/water separator, oil/fuel spillages that do not occur at a petrochemical facility, mixed oil/water from carriers rounds where the hazards remain the same.
16 07 08*	wastes containing oil
19 02 07*	oil and concentrates from separation
19 08 10*	grease and oil mixture from oil/water separation other than those mentioned in 19 08 09
20 01 26*	Oil and fat other than those mentioned in 20 01 25

**Table S2.3 Permitted waste types and quantities for storage and treatment of hazardous waste that contains oil and possesses the following hazardous properties: H14 Ecotoxic, H5 Harmful and H7 Carcinogenic**

<b>Maximum quantity</b>	<b>Maximum storage capacity 1299 m<sup>3</sup> for all wastes in Tables S2.2 and S2.3 Maximum treatment capacity 1300 tonnes/day for all wastes in Tables S2.2 and S2.3</b>
Waste code	Description
05 01 03*	tank bottom sludges
05 01 09*	sludges from on-site effluent treatment containing dangerous substances
05 01 11*	wastes from cleaning of fuels with bases
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances
08 01 19*	aqueous suspensions containing paint or varnish containing organic solvents or other dangerous substances

**Table S2.3 Permitted waste types and quantities for storage and treatment of hazardous waste that contains oil and possesses the following hazardous properties: H14 Ecotoxic, H5 Harmful and H7 Carcinogenic**

<b>Maximum quantity</b>	<b>Maximum storage capacity 1299 m<sup>3</sup> for all wastes in Tables S2.2 and S2.3 Maximum treatment capacity 1300 tonnes/day for all wastes in Tables S2.2 and S2.3</b>
Waste code	Description
11 01 11*	aqueous rinsing liquids containing dangerous substances
11 01 13*	degreasing wastes containing dangerous substances
12 03 01*	aqueous washing liquids
12 03 02*	steam degreasing wastes
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances
16 03 03*	inorganic wastes containing dangerous substances
16 05 07*	discarded inorganic chemicals consisting of or containing dangerous substances
16 07 09*	wastes containing other dangerous substances
16 10 01*	aqueous liquid wastes containing dangerous substances
19 01 06*	aqueous liquid wastes from gas treatment and other aqueous liquid wastes
19 02 04*	premixed wastes composed of at least one hazardous waste
19 02 05*	sludges from physico/chemical treatment containing dangerous substances
19 02 11*	other wastes containing dangerous substances
19 08 13*	sludges containing dangerous substances from other treatment of industrial waste water
19 11 03*	aqueous liquid wastes
19 11 04*	wastes from cleaning of fuel with bases
19 11 05*	sludges from on-site effluent treatment containing dangerous substances
19 13 03*	sludges from soil remediation containing dangerous substances
19 13 05*	sludges from groundwater remediation containing dangerous substances
19 13 07*	aqueous liquid wastes and aqueous concentrates from groundwater

**Table S2.4 Permitted waste types and quantities for Treatment of Non-Hazardous Aqueous Wastes**

<b>Maximum quantity</b>	<b>Maximum storage capacity 1299 m<sup>3</sup> Maximum treatment capacity 1300 tonnes/day</b>
Waste codes	Description
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07
01 05 04	freshwater drilling muds and wastes
01 05 07	barite-containing drilling muds and wastes other than those mentioned in 01 05 05 and 01 05 06

**Table S2.4 Permitted waste types and quantities for Treatment of Non-Hazardous Aqueous Wastes**

<b>Maximum quantity</b>	<b>Maximum storage capacity 1299 m<sup>3</sup> Maximum treatment capacity 1300 tonnes/day</b>
Waste codes	Description
04 02 17	dyestuffs and pigments other than those mentioned in 04 02 16
05 01 10	sludges from on-site effluent treatment other than those mentioned in 05 01 09
05 01 13	boiler feedwater sludges
05 01 14	wastes from cooling columns
05 06 04	waste from cooling columns
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
08 01 16	aqueous sludges containing paint or varnish other than those mentioned in 08 01 15
08 01 18	wastes from paint or varnish removal other than those mentioned in 08 01 17
08 01 20	aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19
08 02 03	aqueous suspensions containing ceramic materials
08 03 08	aqueous liquid waste containing ink
08 03 13	waste ink other than those mentioned in 08 03 12
08 04 16	aqueous liquid waste containing adhesives or sealants other than those mentioned in 08 04 15
10 01 23	aqueous sludges from boiler cleansing other than those mentioned in 10 01 22
10 01 25	wastes from fuel storage and preparation of coal-fired power plants
10 01 26	wastes from cooling-water treatment
10 02 12	wastes from cooling-water treatment other than those mentioned in 10 02 11
10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15
11 01 12	aqueous rinsing liquids other than those mentioned in 11 01 11
11 01 14	degreasing wastes other than those mentioned in 11 01 13
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16 01 15	antifreeze fluids other than those mentioned in 16 01 14

**Table S2.4 Permitted waste types and quantities for Treatment of Non-Hazardous Aqueous Wastes**

<b>Maximum quantity</b>	<b>Maximum storage capacity 1299 m<sup>3</sup> Maximum treatment capacity 1300 tonnes/day</b>
Waste codes	Description
16 03 04	inorganic wastes other than those mentioned in 16 03 03
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08
16 10 02	aqueous liquid wastes other than those mentioned in 16 10 01
19 02 03	premixed wastes composed only of non-hazardous wastes
19 04 04	aqueous liquid wastes from vitrified waste tempering
19 07 03	landfill leachate other than those mentioned in 19 07 02
19 08 09	grease and oil mixture from oil/water separation containing edible oils and fats
19 08 14	sludges from other treatment of industrial waste water other than those mentioned in 19 08 13
19 09 04	spent activated carbon
19 09 05	saturated or spent ion exchange resins
19 09 06	solutions and sludges from regeneration of ion exchangers
19 09 99	wastes not otherwise specified, restricted to waste arising from backwashing filters at Urban Waste Water Treatment Works
19 11 06	sludges from on-site effluent treatment other than those mentioned in 19 11 05
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03
19 13 06	sludges from groundwater remediation other than those mentioned in 19 13 05
19 13 08	aqueous liquid wastes and aqueous concentrates from groundwater remediation other than those mentioned in 19 13 07
20 01 25	edible oil and fat

### **Schedule 3 – conditions to be added**

The following conditions are added following an Environment Agency initiated variation

Condition 3.3.5 has been added to the permit following the implementation of the Industrial Emissions Directive. The condition reads as follows:

3.6.6 Periodic monitoring shall be carried out at least once every 5 years for groundwater and 10 years for soil, unless such monitoring is based on a systematic appraisal of the risk of contamination.

The definition of the Industrial Emissions Directive has been added to Schedule 6 of the permit and reads as follows:

“Industrial Emissions Directive” means DIRECTIVE 2010/75/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 November 2010 on industrial emissions